

| Soundings (MLLW) | |
|------------------|-------------------|
| Mean Water | Extreme Low Water |
| 1.2 | feet |
| .2 | -4.0 |
| .2 | -4.0 |
| .2 | -4.0 |

Chart No. 1.)

- R TR radio tower
- Rot rotating
- s seconds
- SEC sector
- St. M. statute miles
- VQ very quick
- W white
- Whistle WHIS whistle
- Y yellow

- so soft
- Sh shells
- sy sticky
- Subm submerged

Soundings

Charting
t Guard

RADAR REFLECTORS

Radar reflectors have been placed on many floating aids to navigation. Individual radar reflector identification on these aids has been omitted from this chart.

POLLUTION REPORTS

Report all spills of oil and hazardous substances to the National Response Center via 800-424-8802 (toll free), or to the nearest U.S. Coast Guard facility if telephone communication is impossible (33 CFR 153).

NOAA VHF-FM WEATHER BROADCASTS

The National Weather Service station listed below provides continuous marine weather broadcasts. The range of reception is variable, but for most stations is usually 20 to 40 miles from the antenna site.

Kodiak WXJ-78 162.55 MHz

COLREGS, 80.1705 (see note A)
International Regulations for Preventing Collisions at Sea, 1972.
The entire area of this chart falls seaward of the COLREGS Demarcation Line.

NOTE A
Navigation regulations are published in Chapter 2, U.S. Coast Pilot 9. Additions or revisions to Chapter 2 are published in the Notices to Mariners. Information concerning the regulations may be obtained at the Office of the Commander, 17th Coast Guard District in Juneau, Alaska, or at the Office of the District Engineer, Corps of Engineers in Anchorage, Alaska.
Refer to charted regulation section numbers.

HORIZONTAL DATUM

The horizontal reference datum of this chart is North American Datum of 1983 (NAD 83) which for charting purposes is considered equivalent to the World Geodetic System 1984 (WGS 84). Geographic positions referred to the North American Datum of 1927 must be corrected an average of 2.824" southward and 8.116" westward to agree with this chart.

