ENVIRONMENTAL SENSITIVITY INDEX MAP

134 40'
56 00'
132 00'
55 00'
133 40'

KOSCIUSKO ISLAND
Cape Pole
Edna Bay
DAVIDSON INLET
WARREN ISLAND
SUMNER STRAIT
CORONATION ISLAND
SEA OTTER SOUND
TUXEKAN ISLAND
IPHIGENIA BAY
HECETA ISLAND
PRINCE OF WALES ISLAND
GULF OF ESQUIBEL
ETOLIN ISLAND
CLARENCE STRAIT
ERNEST SOUND
CLEVELAND PENINSULA
Meyers Chuck
Salt Chuck
KASAAN PENINSULA
Klawock
SAN FERNANDO ISLAND
NOYES ISLAND
LULU ISLAND
Craig
BAKER ISLAND
BUCARELI BAY
SUEMEZ ISLAND
Waterfall
Hydaburg
DALL ISLAND
TLEVAK STRAIT
SUKKWAN ISLAND
HETTA INLET

Scale 1:280000

4 3 2 1 0 2 4 KILOMETERS
4 3 2 1 0 2 4 MILES

SENSITIVE BIOLOGICAL RESOURCES

CRAIG

ENVIRONMENTAL SENSITIVITY INDEX MAP

134 40'
56 00'
132 00'
56 00'

KOSCIUSKO ISLAND
Cape Pole
Edna Bay
WARREN ISLAND
SUMNER STRAIT
CORONATION ISLAND
IPHIGENIA BAY
SEA OTTER SOUND
TUXEKAN ISLAND
HECETA ISLAND
PRINCE OF WALES ISLAND
GULF OF ESQUIBEL
ETOLIN ISLAND
CLARENCE STRAIT
KANEST SOUND
CLEVELAND PENINSULA
Meyers Chuck
Salt Chuck
KASAAN PENINSULA
Klawock
SAN FERNANDO ISLAND
NOYES ISLAND
LULU ISLAND
Craig
BAKER ISLAND
BUCARELI BAY
SUEMEZ ISLAND
Waterfall
Hydaburg
DALL ISLAND
SUKKWAN ISLAND

COMMON THROUGHOUT AREA
GROUNDFISH

55 00'
133 40'
132 00'
55 00'

Scale 1:280000

4 3 2 1 0 2 4 KILOMETERS
4 3 2 1 0 2 4 MILES

HUMAN USE OF BIOLOGICAL RESOURCES

CRAIG

CRAIG – Sensitive Biological Resources

BIOLOGICAL RESOURCES:

BIRD:

Species	S	F	Conc.	J	F	M	A	M	J	J	A	S	O	N	D	Nesting	Migrating	Molting
Gulls							X	X	X	X	X	X				APR-SEP	-	-
Shorebirds							X	X			X	X	X			-	-	-
Trumpeter swan																-	-	-
Waterfowl				X	X	X	X	X	X	X	X	X	X	X	X	APR-AUG	-	-

FISH:

Species	S	F	Conc.	J	F	M	A	M	J	J	A	S	O	N	D	Spawning	Eggs	Larvae	Juveniles	Adults
Pacific herring						X	X	X								MAR-MAY	-	-	-	-

INVERTEBRATE

Species	S	F	Conc.	J	F	M	A	M	J	J	A	S	O	N	D	Spawning	Eggs	Larvae	Juveniles	Adults
Geoduck				X	X	X	X	X	X	X	X	X	X	X	X	-	JUN-OCT	-	-	-

MARINE MAMMAL:

Species	S	F	Conc.	J	F	M	A	M	J	J	A	S	O	N	D	Mating	Calving	Molting	Pupping
Harbor seal			HIGH	X	X	X	X	X	X	X	X	X	X	X	X	-	-	AUG-SEP	MAY-JUN
Sea otter			HIGH													-	-	-	-
Steller (Northern) sea lion		T	HIGH	X	X	X	X	X	X	X	X	X	X	X	X	-	-	-	-

TERRESTRIAL MAMMAL:

Species	S	F	Conc.	J	F	M	A	M	J	J	A	S	O	N	D
Black bear							X	X	X						

CRAIG – Human-Use of Biological Resources

BIOLOGICAL RESOURCES:

FISH:

Species	S	F	Conc.	J	F	M	A	M	J	J	A	S	O	N	D	Spawning	Eggs	Larvae	Juveniles	Adults
Coastal Cutthroat trout				X	X	X	X						X	X	X	-	-	-	-	-
Rockfish			Y	X	X	X	X	X	X	X	X	X	X	X	X	-	-	-	-	-
Sablefish (blackcod)			Y	X	X	X	X	X	X	X	X	X	X	X	X	-	-	-	-	-
Salmon			HIGH													-	-	-	-	-

INVERTEBRATE

Species	S	F	Conc.	J	F	M	A	M	J	J	A	S	O	N	D	Spawning	Eggs	Larvae	Juveniles	Adults
Dock shrimp				X	X	X	X	X	X	X	X	X	X	X	X	JUL-MAR	OCT-AUG	-	-	-
Dungeness crab				X	X	X	X	X	X	X	X	X	X	X	X	AUG-OCT	OCT-JUN	-	-	-
Humpy shrimp				X	X	X	X	X	X	X	X	X	X	X	X	JUL-MAR	OCT-AUG	-	-	-
Ocean pink shrimp				X	X	X	X	X	X	X	X	X	X	X	X	JUL-MAR	JAN-DEC	-	-	-
Red sea urchin				X	X	X	X	X	X	X	X	X	X	X	X	-	-	-	-	-
Spiny scallop				X	X	X	X	X	X	X	X	X	X	X	X	-	JUN-OCT	-	-	-
Spot shrimp				X	X	X	X	X	X	X	X	X	X	X	X	JUL-MAR	OCT-AUG	-	-	-
Tanner crab				X	X	X	X	X	X	X	X	X	X	X	X	AUG-OCT	OCT-JUN	-	-	-

Biological information shown on the maps represents known concentration areas or occurrences, but does not necessarily represent the full distribution or range of each species. This is particularly important to recognize when considering potential impacts to protected species.